

The Official Distributor of SafeKing
in the Hong Kong and Macau area



SafeKing®

Tel: (852)2388-0145 | Fax: (852)2770-2771 | E-Mail: sales@kingswayltd.com.hk

Address: Flat B, 6/F, Por Mee Factory Building, 500 Castle Peak Road, Cheung Sha Wan, Kowloon, HK



The Passionate Pursuit of Perfection

11th November, 2010

Dear Sir/Madam,

We are very happy to announce that Kingsway Hotel & Novelties Supplies (H.K.) Ltd. has been appointed to be the official distributor of all products of SafeKing Hospitality (Shanghai) Ltd. in Hong Kong and Macau area.

SafeKing® specializes in hospitality security products like hotel in-room safe (Xpro, Xpro-II & Xdra series) and door locks. SafeKing® Director Mr. Raphael Ge has over 20 years of experience in the industry and had previously invented the design of top open safe around ten years ago. Being one of the world's leading company in the hotel security industry, SafeKing® supplies quality products with strong management system for hotel management purposes. With their most advanced SafeLink, i-Key and Bluetooth technology, SafeKing® created a new era in the whole hotel industry.

Promising Security, Easy to operate.

Being the distributor, Kingsway has now arranged product samples and equipments for demonstration at our newly set up showroom. If you are interested in the product, we can organize a presentation, demonstrating the functions and showing you the quality of SafeKing® products for your reference. Please do not hesitate to contact our sales team for more information by calling us at **2388-0145** or sending us E-Mail at sales@kingswayltd.com.hk .

Best regards,

Kingsway Hotel & Novelties Supplies (H.K.) Ltd.



Kingsway Hotel & Novelties Supplies (H.K.) Ltd.
金威 酒店用品 廣告贈品 (香港) 有限公司
designer / manufacturer since 1974

HongKong Office:
Flat B, 6/F, Por Mee Factory Building, 500 Castle Peak Rd, Cheung Sha Wan, KLN, HK
香港九龍長沙灣青山道500號百美工業大廈6樓B座
電話: (852) 2388-0145 傳真: (852) 2770-2771
E-mail: sales@kingswayltd.com.hk
Shenzhen Office:
Room 2403, Block 3, Phase 1, HuangYuYuan, Futian Nanlu, Futian, SZ, CHINA
深圳市福田區福田南路皇御園3號2403室 郵編: 518048
電話: (755) 8282-3743 傳真: (755) 8282-3747

Safeking®



New Product

Xpro Hotel In-room Safe by Safeking®

When it comes to guestroom security, *Safeking®* has always been the choice of hoteliers around the global. Now we made that choice even easier, with the Xpro by *Safeking®* advanced security at an affordable price.

Safeking® has most reliable technology in hotel industry. With most perfect & advanced design, also the quality which proved by thousands of customers, we believe that *Safeking®* is your well-content choice, we make sure you will be very satisfied to *Safeking®*. *Safeking®* offers real solutions and reliable support to a wide variety of markets throughout the world. Committed to business partner, spare no effort to offer superior global technical and support to every customer.

The Passionate Pursuit of Perfection



Xpro-20N

W:442 H:200 D:380 (mm)
 Thickness Body:2.5 Door:6(mm)
 Weight:13.4kg Internal Volume:27L
 Laptop compatible: up to 17"



Xpro-20H

W:420 H:200 D:390 (mm)
 Thickness Body:1.5 Door:4(mm)
 Weight:9.3kg Internal Volume:26L
 Laptop compatible: up to 17"



Xpro-II (New Product)

W:400 H:185 D:395 (mm)
 Thickness Body:1.5 Door:4(mm)
 Weight:11kg Internal Volume:23.5L
 Laptop compatible: up to 17"



Xpro-25H

W:400 H:230 D:380 (mm)
 Thickness Body:2 Door:4(mm)
 Weight:10kg Internal Volume:27L
 Laptop compatible: up to 17"



Xpro-50

W:420 H:500 D:420 (mm)
 Thickness Body:2.5 Door:6(mm)
 Weight:33kg Internal Volume:70.5L
 Laptop compatible: up to 17"



Our Most Advanced SafeLink and Bluetooth Technology

Easy-to-understand icons and touch-screen Windows Pocket PC software will guide you all the way through setting-up and managing your safes

SafeKing's unique bluetooth technology, it makes the communication between safeLink and safe become much easier, reliable & convenient, with the development of bluetooth, a new era is created in the whole hotel industry.



All SafeKing® models can select an exclusive i-Key that can not be duplicated service unit allows you to open the safe in case of emergency. The i-key also can download the 124 safe audit trail and print it out by computer.

Specification

Feature	Description
Locking mechanism	16 mm solid steel bolt
User code	4-digit(6 digit is available)
Display	4(or6)character LED Programmable option: Show or hide user code.
Keypad	ADA compliant silicone keypad.
Locking method	Lock button
Inside carpet	Yes
Communication	Bluetooth
Anti-tamper labyrinth	Yes
Inteal power outlet	Optional
Inside light option	Yes
Override	i-key or SafeLink
Memory	All codes and other vital information are stored in Flash RAM, meaning it can not be lost due to low battery or battery replacement.
Audit trail	The latest 124 events are stored with time & date. Can be viewed and printed using SafeLink.
Power supply	4 LRB/ AA-cells
Fastening methods	Backwall: 2 holes; Bottom: 2 holes
Color	Standard: Black/Beige; Option: Other colors available

Xpro-II

by SafeKing



Front View



Top



Inside

Safeking®




Xdra Top Open Safe by Safeking®

When it comes to guestroom security, Safeking® has always been the choice of hoteliers around the global. Now we made that choice even easier, with the Xdra by Safeking® advanced security at an affordable price.

Safeking® Xdra Safe is an ideal solution for luxurious decoration that hotels prefer to install the safe inside of furniture. Safeking® Xdra Safe fits comfortably into a cupboard, armoire, closet or drawer. It requires minimal room, becoming the obvious choice for hotel. The safe is ideal for hotel use as it accommodates laptop computers.

Safeking® Xdra Safe meets the same security standards and utilizes the same electronic platform as all top open Safe.

The Passionate Pursuit of Perfection



Xdra-DR (18, 12)

W:360 H:180/130 D:350 (mm)
 Thickness Body: 1.5 Door: 1.5*2(mm)
 Weight: 6kg/7.5kg Internal Volume: 19L/14L
 Laptop compatible: up to 17"

Xdra-DS (18, 12)

W:375 H:180/130 D:290 (mm)
 Thickness Body: 1.5 Door: 1.5*2(mm)
 Weight: 7.5kg/6.5kg Internal Volume: 15L/11L
 Laptop compatible: up to 15"

Xdra-B

W:338 H:145 D:375 (mm)
 Thickness Body: 1.5 Door: 1.5*2(mm)
 Weight: 6.95kg Internal Volume: 16L
 Laptop compatible: up to 15"

Xdra-C

W:290 H:145 D:375 (mm)
 Thickness Body: 1.5 Door: 1.5*2(mm)
 Weight: 6.75kg Internal Volume: 12.5L
 Laptop compatible: up to 14"



Our Most Advanced SafeLink and Bluetooth Technology

Easy-to-understand icons and touch-screen Windows Pocket PC software will guide you all the way through setting-up and managing your safes

SafeKing's unique bluetooth technology, it makes the communication between safeLink and safe become much easier, reliable & convenient, with the development of bluetooth, a new era is created in the whole hotel industry.



All models can select an exclusive i-Key that can not be duplicated service unit allows you to open the safe in case of emergency. The i-key also can download the 124 safe audit trail and print it out by computer.

Specification

Feature	Description
Locking mechanism	18 mm solid steel bolt
User code	4-digit (6 digit is available)
Display	4(or6)character LED Programmable option: Show or hide user code.
Keypad	ADA compliant silicone keypad.
Locking method	Lock button
Inside carpet	Yes
Communication	Bluetooth
Anti-lamper labyrinth	Yes
Intel power outlet	Optional
Inside light option	Yes
Override	i-key or SafeLink
Memory	All codes and other vital information are stored in Flash RAM, meaning it can not be lost due to low battery or battery replacement.
Audit trail	The latest 124 events are stored with time & date. Can be viewed and printed using SafeLink.
Power supply	4 LR6/ AA-cells
Fastening methods	Backwall: 2 holes; Bottom: 2 holes
Color	Standard: Black; Option: Other colors available



Xpro-20N

W:442 H:200 D:380 (mm)
 Thickness Body:2.5 Door:6(mm)
 Weight:13.4kg Internal Volume:27L
 Laptop compatible; up to 17"



Xpro-20H

W:420 H:200 D:390 (mm)
 Thickness Body:1.5 Door:4(mm)
 Weight:9.3kg Internal Volume:26L
 Laptop compatible; up to 17"



Xpro-18H

W:400 H:185 D:395 (mm)
 Thickness Body:1.5 Door:4(mm)
 Weight:11kg Internal Volume:23.5L
 Laptop compatible; up to 17"



Xpro-25H

W:400 H:230 D:380 (mm)
 Thickness Body:2 Door:4(mm)
 Weight:10kg Internal Volume:27L
 Laptop compatible; up to 17"



Xpro-50

W:420 H:500 D:420 (mm)
 Thickness Body:2.5 Door:6(mm)
 Weight:32kg Internal Volume:70.5L
 Laptop compatible; up to 17"



Our Most Advanced SafeLink and Bluetooth Technology

Easy-to-understand icons and touch-screen Windows Pocket PC software will guide you all the way through setting-up and managing your safes

SafeKing's unique bluetooth technology, it makes the communication between safeLink and safe become much easier, reliable & convenient, with the development of bluetooth, a new era is created in the whole hotel industry.



All SafeKing® models can select an exclusive i-Key that can not be duplicated service unit allows you to open the safe in case of emergency. The i-key also can download the 124 safe audit trail and print it out by computer.

Specification

Feature	Description
Locking mechanism	16 mm solid steel bolt
User code	4-digit(6 digit is available)
Display	4 (or6) character LED Programmable option: Show or hide user code.
Keypad	ADA compliant silicone keypad.
Locking method	Lock button
Inside carpet	Yes
Communication	Bluetooth
Anti-lamper labyrinth	Yes
Inteal power outlet	Optional
Inside light option	Yes
Override	i-key or SafeLink
Memory	All codes and other vital information are stored in Flash RAM, meaning it can not be lost due to low battery or battery replacement.
Audit trail	The latest 124 events are stored with time & date. Can be viewed and printed using SafeLink.
Power supply	4 LR6/ AA-cells
Fastening methods	Backwall: 2 holes; Bottom: 2 holes
Color	Standard: Black/Beige; Option: Other colors available



Safeking® SafeLink

SafeLink handhold system with unique bluetooth technology brings simplicity and security to hotel safe management.

Consists of:

HP Touch screen Pocket PC iPAQ.
Fast and intuitive Windows based software .
Bluetooth transceiver.

Unique user ID's for all users to access.

The safeLink software has been installed in HP Windows® pocket PC before delivery. SafeLink requires unique user ID's for all users to access this software. Enable you to securely override locked safes, program safes, print and read event logs superior to master key or master code overrides.

High security access and audit trail

The SafeLink was delivered with highly protected access password (6 digit), and you can define and record the employee ID (from "01" to "99") for every employee that they are assigned to use SafeLink. The employee will be audited by "Safe events" after they use their unique 4 digit access password.

Safe's audit trail report includes latest 124 safe events in safe flash memory, which includes SafeLink operation with employee ID's, guest opening or i-key operation etc.

SafeLink Features:

A complete security management solution.
Pocket PC is compatible with both safes and some brand's locks.
Use bluetooth communication between SafeLink and safe.
Compatible with Xpro, Xdra, Angel and Prince and most earlier safes.
Simple and high level password protection.
Program the safe with date and time.
Service Open for emergency solution when guest forget their code.
Read out and direct display 124 safe events on the screen.
Transfer and easy print out the safe audit trail through your computer.
1000 SafeLink's audit trail can be checked or printed out when necessary.



Use external battery when safe's battery capacity is very low.



The powerful SafeLink with touch screen Windows® pocket PC software

Details in safe audit trail

Room: 12001	Total:	820
001	2001-04-20 12:30	HM
002	2001-04-19 13:30	GU
003	2001-05-18 14:30	12
004	2001-05-17 14:30	13
005	2001-05-16 14:30	14
006	2001-05-15 14:30	15
007	2001-05-14 14:30	16
008	2001-05-13 14:30	17
009	2001-05-12 14:30	18
010	2001-05-11 14:30	19
011	2001-04-10 13:30	GU
012	2001-04-09 13:30	GU
013	2001-04-08 13:30	GU

Read-out type description

GU	HM	MC	DC	(00-99)	KY
Guest	Admin. Password	Master Code	i-Key	Employee ID	Metal Key



Safeking® i-key

Consists of:

Unique i-Master and i-Code design for two-person combination to open the room safe.
Backup battery connector for external battery use.

i-key features:

Exclusive two-parts separated design to meet with hotel security requirements.
Each user is individually identified.
Secure, convenient service opening with two-person combination.
Downloads 124 safe audit trail and can be printed out by computer.



i-key also can use external battery when safe's battery capacity is very low.